Exact LEVELS

(13)

EXACT LEVEL & TOOL MFG. CO. INC., HIGH BRIDGE, N.J.

EXACT LEVELS

Every level shown in this catalog is manufactured by our factory. The workmen employed are experienced, our equipment up-to-date, and our buildings clean and modern.

CONSTRUCTION

These levels are constructed simply and rigidly for maximum efficiency. They are made for men who want the best in levels. The accuracy is high; the material durable for a "lifetime of use."

INSPECTION

Every level produced by us is inspected at various stages of its manufacture and every finished level is inspected and tested before being packed. The level is then boxed. Great care is used in packing shipments. All of our levels are shipped in new cartons or cases and will arrive in good condition.

EXPORT SHIPMENTS

All of our export shipments are packed in strong new wooden cases. Wherever necessary, cases are lined with waterproof paper and tightly banded. Particular attention is paid to marking and stamping export shipments.

ELECTROTYPES AND LITERATURE

Free use of our electrotypes and literature for advertising purposes is extended to all of our customers upon request.

(IMPORTANT INFORMATION ON INSIDE BACK COVER)

ABOUT OUR BUSINESS

The Exact Level & Tool Manufacturing Company, Inc., was founded in 1929 at High Bridge, New Jersey, for the purpose of manufacturing the highest quality levels and precision instruments possible to produce.

Our standards of accuracy, our fair prices and our protective sales policy have combined to create a demand for Exact levels that has made necessary the expansion of our plant to a point where today we enjoy the somewhat enviable position of being the world's largest manufacturer of levels exclusively.

Our factory is modern and equipped with the newest high efficiency production machinery. Many of these special machines we have designed, manufactured and patented ourselves. We operate our own foundry and our own wood kiln. This setup enables us to completely control the quality of our levels from the raw material to the shipping room.

During World War II our facilities were converted to the manufacture of precision instruments and the development of special weapons, for which we were the only level manufacturer to receive the Army-Navy "E" award.

Our creed is to make only the best, to which we have strictly adhered, and which has justified our slogan,

"Makers of The World's Best Levels."

Theo. F. Vaida, President

EXACT LEVEL & TOOL MANUFACTURING COMPANY, INC.

HIGH BRIDGE, NEW JERSEY, U. S. A.

EXACT LEVELS

GENUINE MAHOGANY PLUMB and LEVEL, No. 289

12″—14″—16″—18″—20″—22″—24″



These handy levels are made of genuine, kiln-dried mahogany. One level and one plumb vial set in plaster.

SHIPPING DATA

	12″ x 2¼″ x 1⅛″	18″ x 2¼″ x 1⅛″	24″ x 2¼″ x 1⅛″
Weight of each	13 oz.	15 oz.	1 lb. 2 oz.
Wrapped in ½ dozen lots—4 dozen to a standard carton			
Total weight	37 lbs.	40 lbs. 5 oz.	55 lbs.

GENUINE MAHOGANY PLUMB and LEVEL with GLASS ENCLOSED PLUMB, No. 289G

12″—14″—16″—18″—20″—22″—24″



These high-grade levels are made of genuine, kiln-dried mahogany. One level and one plumb vial protected by a thick glass window. Both vials set in plaster.

SHIPPING DATA

	12″ x 2¼″ x 1 3/16″	18″ x 2¼″ x 1 3/16″	24″ x 2¼″ x 1 3/16″
Weight of each	13 oz.	1 lb.	1 lb. 3 oz.
Individually wrapped—4 dozen to standard carton			
Total weight	39 lbs. 5 oz.	48 lbs. 6 oz.	57 lbs. 10 oz.

EXACT LEVEL & TOOL MFG. CO., INC.

HIGH BRIDGE, NEW JERSEY

GENUINE MAHOGANY CARPENTERS' LEVELS —PROTECTED VIALS, No. RDM

12"—16"—18"—24"—30"



These sturdy carpenters' levels are made of genuine, kiln-dried mahogany with one plumb and one level vial set in plaster. Both are protected by thick glass windows.

SHIPPING DATA

	12" x 2¼" x 1¼"	16" x 2¼" x 1¼"	18" x 2¼" x 1¼"	24" x 2¼" x 1¼"	30" x 5¼" x 1¼"
Wt. each	14 oz.	1 lb.	1 lb. 2 oz.	1 lb. 6 oz.	1 lb. 10 oz.
	Individually wrapped—2 dozen to a standard container				
Total wt.	22 lbs. 4 oz.	25 lbs. 5 oz.	28 lbs. 8 oz.	34 lbs. 10 oz.	40 lbs. 13 oz.

SUGAR PINE CARPENTERS' LEVELS—PROTECTED VIALS, No. RD

12"—16"—18"—24"—30"



These sturdy carpenters' levels are made of the highest grade kiln-dried sugar pine with one plumb and one level vial set in plaster. Both are protected by thick glass windows.

SHIPPING DATA

	12" x 2¼" x 1¼"	16" x 2¼" x 1¼"	18" x 2¼" x 1¼"	24" x 2¼" x 1¼"	30" x 2¼" x 1¼"
Wt. each	13 oz.	15 oz.	1 lb.	1 lb. 2 oz.	1 lb. 4 oz.
	Individually wrapped—2 dozen to a standard container				
Total wt.	20 lbs. 12 oz.	23 lbs. 14 oz.	25 lbs. 5 oz.	28 lbs. 8 oz.	31 lbs. 10 oz.

EXACT LEVELS

MASTER PRECISION LEVEL, No. 200M

This precision instrument is made of the finest close-grain cast iron. Castings are seasoned and treated so that all internal stresses are relieved, insuring utmost accuracy for the lifetime of the level. Base is ground and lapped to the closest tolerance of .00001" and set vial is ground to the maximum sensitivity of .00025" for each graduation. This model level is equipped with a micrometer head so that the actual deviation from the level can be measured to an exactness of .000125".

Box for No. 200 Master Precision Solid Walnut—Felt Lined—two strong latches lock cover to base.

No. 200 identical to the No. 200M but without micrometer head.

SHIPPING DATA FOR No. 200M and No. 200

15" x 3" x 1½"

Weight of level—8 lbs.

Weight of level and box—9 lbs. 8 oz.

EXACT LEVEL & TOOL MFG. CO., INC.

HIGH BRIDGE, NEW JERSEY

MECHANICS' DIE-ALUM LEVEL No. 24SA-24"

UNIT ASSEMBLED MECHANIC'S LEVEL

Precision Built with Completely Adjustable and Replaceable Double Vial Units

24SA-24" THREE DOUBLE VIAL UNITS

Both No. 24SA and 18SA Die-Alum Level Bodies are scientifically designed in accordance with the most up-to-date knowledge in metallurgy to guarantee non-warpage for the lifetime of these Craftsmen's Tools. These levels are milled and ground to an accuracy of .001 of an inch. Each double and single vial unit, plumb and level, is in a single aluminum ring. Vial units are replaceable and adjustable. Every level purchaser can keep his own level perfect for the lifetime of the level body. Replaceable unit parts, as illustrated below, are available in every good hardware store.

MECHANICS' DIE-ALUM LEVEL No. 18SA-18"

UNIT ASSEMBLED MECHANIC'S LEVEL

Precision Built with Single and Double Vial Adjustable and Replaceable Units

18SA-18" ONE DOUBLE AND TWO SINGLE VIAL UNITS

SHIPPING DATA

24SA-24"
24" x 1" x 2⅜"
6 Glasses — 2 Levels, 4 Plumbs
Each level individually boxed
Wt. (Boxed) 2 lbs. 3 oz.
24 pcs. packed in corrugated shipping container — Size 25" x 10" x 9"
Net Wt. 52 lbs. **Gross Wt. 55 lbs.**
(Minimum shipment 24 pcs.)

18SA-18"
18" x 1" x 2⅜"
4 Glasses — 2 Levels, 2 Plumbs
Each level individually boxed
Wt. (Boxed) 1 lb. 12 oz.
24 pcs. packed in corrugated shipping container — Size 19" x 10" x 9"
Net Wt. 42 lbs. **Gross Wt. 45 lbs.**
(Minimum shipment 24 pcs.)

CARTON OF REPLACEMENT PARTS

You may buy in every good hardware store

6 VIAL HOLDER RINGS	$.99 ea.	$5.94
6 COVER RINGS	.11 ea.	.66
6 PROTECTIVE GLASSES	.11 ea.	.66
6 RETAINER RINGS	.05½	.33
6 PAIRS OF SCREWS	.05½	.33

Price per Carton $7.92
Weight of Carton 13 oz.

EXACT LEVELS

MASONS' DIE-ALUM LEVEL No. 48 SA 48"

UNIT ASSEMBLED MASON'S LEVEL

Precision Built for Accurate Rapid Work Permits Repair on the Job

DOUBLE PAIRED LEVEL GLASSES REPLACE CUSTOMARY SINGLE PAIR

"THE MOST PERFECT HEAVY DUTY TOOL MANUFACTURED"

Made of the finest wear-resisting Duralum alloy. Weighs less than hardwood brass bound level. Working surfaces accurate within .001 inches. Capable of withstanding 1000 lbs. pressure against working edges. Vial holder units replaceable on the spot by individual user eliminate time lost by breakage. New felt cushion rings below and above each glass protect glasses and vial units against jarring. Clearly marked vials assure precise and rapid long range readings. Level bodies scientifically designed in patented **EXACT LEVEL** lines. Aluminum sand-blast finish enhances the beauty of this precision tool. The only precision ground mason's level.

SHIPPING DATA

No. 48 SA 48"
Die-Alum Mason's Level

48" x 2 5/16" x 1 1/4"

4 Levels 8 Glasses 4 Plumbs

Each Level Individually boxed—Wt. (Boxed) 4 Lbs. 8 ozs.

Packed 1 Doz. in Wooden Box Weight 58 Lbs.

(Minimum Shipment 1 Dozen) F.O.B. HIGH BRIDGE, N. J.

CARTON OF REPLACEMENT PARTS

You may buy in every good hardware store

6 VIAL HOLDER RINGS	$.99 ea.	$5.94
6 COVER RINGS	.11 ea.	.66
6 PROTECTIVE GLASSES	.11 ea.	.66
6 RETAINER RINGS	.05½	.33
6 PAIRS OF SCREWS	.05½	.33

Price per Carton $7.92

Weight of Carton 13 oz.

EXACT LEVEL & TOOL MFG. CO., INC.

HIGH BRIDGE, NEW JERSEY

DIE-ALUM ADJUSTABLE POCKET TORPEDO LEVEL No. 99APT—9"

The only adjustable aluminum pocket torpedo level with replaceable parts. Constructed of the finest die cast, wear resisting, heat treated aluminum alloy. Designed with a completely streamlined flush body, without extrusions.

A specially designed crib suspends the level vial making it fully adjustable and replaceable. Separate vial cribs are available at a cost of $.66 each, including a complete set of adjusting screws and tension springs. The top plate containing the plumb and 45° vial can be replaced at a cost of $1.00.

Packed ½ dozen to a box — weight 1 pound, 10 ounces —
1 gross to a corrugated shipping container — weight 43 pounds.

GENERAL PURPOSE ALUMINUM LEVEL No. 1A—12"

This sturdy cast aluminum level is a handy tool for general work. One "cat's eye" level and two plumbs, set to the highest accuracy, make this level acceptable for every day leveling and plumbing. Level is finished in attractive "sand blast" finish with ground working edges.

GENERAL PURPOSE ALUMINUM V-GROOVED, No. 1AV

This level is the same as the No. 1A except base is precision V-grooved for piping and shafting work.

EXACT LEVELS

STREAMLINED LEVEL No. 8 8″

STREAMLINED LEVEL No. 4 4″



POCKET PLUMB AND LEVEL

This is a cast aluminum pocket plumb and level used for general work where extreme accuracy is not required.

OIL BURNER LEVEL

This cast aluminum level is made for general leveling use and is especially adaptable for oil burner installation.

HEXAGONAL ALUMINUM LINE LEVEL No. 3 3″

(EXACT SIZE)

Used to determine grades, lay foundations, brick walls, tile pipes, trim hedges, etc.
Reversed hooks make it practically impossible to shake this level from line when in use and a flat bottom makes it adaptable as a surface level. Made from 3/8″ aluminum hexagonal tubing, with "cat's eye" vial, two lines to center bubble.

HEXAGONAL ALUMINUM POCKET LEVEL No. 2 3″

(EXACT SIZE)



Handy to carry, this level is used chiefly on the horizontal without regard to extreme accuracy. Made from 3/8″ hexagonal tubing, with "cat's eye" vial two lines to center bubble.

EXACT LEVEL & TOOL MFG. CO., INC.

HIGH BRIDGE, NEW JERSEY

ALUMINUM or IRON MACHINISTS' LEVEL—24"

No. 1024 IRON No. 1024A ALUMINUM

No. 1024

Recommended for carpenters, plumbers and millwrights. This level is made of the highest quality seasoned cast iron, with an entirely new design to insure lightness, strength and rigidity. Top and bottom of this level is milled and ground to perfect parallel flats. Also made of the finest aluminum alloy with the same accuracy as the cast iron level.

ALUMINUM or IRON MACHINISTS' LEVEL—V-GROOVED—24"

No. 1024V IRON No. 1024VA ALUMINUM

This level is the same as the No. 1024 or No. 1024A except that the base is accurately grooved to make this level adaptable for cylindrical, piping and shafting work.

MACHINISTS' ADJUSTABLE PRECISION BENCH LEVEL, No. 912—12"

No. 912

This adjustable precision bench level is constructed with a very sensitive ground vial, finely graduated. This vial is set in a cadmium plated brass tube enclosed in an "Eclipse" cover. An outer knurled metal tube over the glass can be turned either to expose the vial or to cover it completely and protect it when not in use. Level vial is completely adjustable. One plumb vial is mounted on the base.
Japanned base is made of seasoned, finely grained cast iron which is precision ground to .0001 inch accuracy. Base is accurately V-grooved for shaft and pipe work.

No. 96-6"

This high quality precision bench level is constructed with a highly sensitive ground vial, finely graduated. The vial is set in a cadmium plated brass tube with a knurled "Eclipse" type outside protecting cover. This unit is easily adjusted to maintain extreme accuracy. Base is made of highest grade cast iron precision ground to .0001 inch accuracy and V-grooved for pipe or shafting work.

No. 94-4"

This extremely accurate bench type level is constructed with a very sensitive ground vial, finely graduated. The base is made of an aged aluminum casting, ground to an extreme accuracy. The vial is set in a cadmium plated brass tube with a knurled "Eclipse" type cover to protect this vial when not in use.

EXACT LEVELS

MASONS' and BRICKLAYERS' LEVELS

No. 48SPE, 48″ or 42″, WITH METAL END PLATES
No. 48SP, 48″ or 42″, WITH PLAIN ENDS

Genuine Sugar Pine · Dried in Our Own Kiln
Straight Grain · Moisture Proof
Sensitive Tested Vials

These 48″ or 42″ masons' levels are made of the highest grade Sugar Pine, carefully selected, kiln dried in our own kiln, and seasoned in order to insure level against warpage. All levels have six glasses—two double plumbs and one double level. Vials are highly accurate and matched, set solidly in plaster. Vial lines are black and distinctively clear, protected with extra strong window glasses.



Available with or without metal end plates in 48″ or 42″ lengths.

SHIPPING DATA

No. 48SP—48″	No. 48SP—42″
48″ x 2¼″ x 1¼″	42″ x 2¼″ x 1¼″
Each level individually boxed in a corrugated container.	
Packed 1 dozen to a standard shipping carton	
Weight boxed—2 lbs. 12 oz.	Weight boxed—2 lbs. 8 oz.
Total weight—36 lbs. 10 oz.	Total weight—33 lbs. 4 oz.

REPAIR PARTS

Protective Crystals, per dozen (Packed one dozen in carton)	**$1.32**
Level Vials, per dozen (Packed one dozen in carton)	**$2.40**

EXACT LEVEL & TOOL MFG. CO., INC.

HIGH BRIDGE, NEW JERSEY

MAHOGANY
MASONS' and BRICKLAYERS' LEVELS

No. 148PUE, 48″ or 42″, WITH METAL END PLATES
No. 148PU, 48″ or 42″, WITH PLAIN ENDS

Genuine Quarter Sawn Mahogany · Dried in Our Own Kiln
Seasoned · Selected Straight Grain · Two Double Plumbs
One Double Level · Clear Lines · Extreme Accuracy

These solid mahogany masons' levels are the finest hardwood levels manufactured. They are available with or without metal end plates, in 48″ or 42″ sizes. The stock used is the best selected, straight grained, quarter sawn mahogany. Thorough kiln drying and seasoning in our own plant assures the user of durability and accuracy for the lifetime of the level. Each level has two double plumbs and one double level. Strong glass windows protect the sensitive vials from dirt and damage. Clear, definite lines assure accurate rapid readings.

Available with or without metal end plates in 48″ or 42″ lengths.

SHIPPING DATA

No. 148PU—48″	**No. 148—42″**
48″ x 2¼″ x 1¼″	42″ x 2¼″ x 1¼″

Each level individually boxed in a corrugated container.

Packed 1 dozen to a standard shipping carton

Weight boxed—3 lbs. 4 oz.	Weight boxed—3 lbs.
Total weight—42 lbs. 10 oz.	Total weight—39 lbs. 6 oz.

REPAIR PARTS

Protective Crystals, per dozen . **$1.32**
(Packed one dozen in carton)

Level Vials, per dozen **$2.40**
(Packed one dozen in carton)

EXACT LEVELS

LAMINATED MASONS' LEVELS

No. 248, 48" and 42", 3 ply—without metal end plates
No. 248E, 48" and 42", 3 ply—with metal end plates

No. 548, 48" and 42", 5 ply—without metal end plates
No. 548E, 48" and 42", 5 ply—with metal end plates

Genuine Mahogany and Sugar Pine
Matched Grain Construction
Guaranteed Against Splitting



No. 248

No. 548

These laminated levels are made of the highest grade genuine mahogany and sugar pine. The levels are constructed with the famous Exact Level "grain against grain" method to insure level against warpage under all conditions. All the lumber used is thoroughly kiln dried and seasoned. Each mason's level has two double plumbs and one double level. Vials are highly sensitive, with large bubble and clear, distinctive lines. Extra strong window glasses protect vials against breakage and clouding.

SHIPPING DATA

	No. 248—48"	**No. 248—42"**	**No. 548—48"**	**No. 548—42"**
	48"x2¼"x1¼"	42"x2¼"x1¼"	48"x2¼"x1¼"	42"x2¼"x1¼"
Each level individually boxed in a corrugated container				
Wt. bxd.	3 lbs. 4 oz.	3 lbs.	3 lbs. 6 oz.	3 lbs. 2 oz.
Packed 1 dozen to a standard shipping carton				
Total wt.	42 lbs. 10 oz.	39 lbs. 6 oz.	44 lbs. 2 oz.	40 lbs. 12 oz.

REPAIR PARTS

Protective Crystals, per dozen . **$1.32**
(Packed one dozen in carton)

Level Vials, per dozen . . . **$2.40**
(Packed one dozen in carton)

EXACT LEVEL & TOOL MFG. CO., INC.

HIGH BRIDGE, NEW JERSEY

MASONS' ALUMINUM BOUND LEVEL

MAHOGANY OR PINE

MAHOGANY No. 148AB **PINE No. 48AB**

Completely Protected · Positive Grip
Double Angle Channels · High
Accuracy · Easy to Read

This highest quality aluminum bound masons' level is available either in genuine mahogany or sugar pine. Both types of wood are carefully selected and dried in our own kiln, and seasoned in order to insure the level against warpage. This level is available in 48″ or 42″ sizes with 6 glasses —2 double plumbs and one double level. Vials are highly accurate, matched, and set solidly in plaster. Vials are extremely sensitive with large bubble and clear distinctive lines. Extra strong window glasses protect vials against breakage, and clouding. Our new type double angle channels are welded to the wood body which doubly assures the user that the binding will never break loose from the body of the level.



Available in 42″ or 48″ length.

New positive grip double angle channel will never come loose from body.

SHIPPING DATA

	No. 148AB—48″	No. 148AB—42″	No. 48AB—48″	No. 48AB—42″
	48″x2¼″x1¼″	42″x 2¼″x1¼″	48″x2¼″x1¼″	42″x2¼″x1¼″

Each level individually boxed in a corrugated container

Packed 1 dozen to a standard shipping carton

Wt. bxd.	3 lbs. 12 oz.	3 lbs. 7 oz.	3 lbs. 4 oz.	2 lbs. 15 oz.
Total wt.	48 lbs. 10 oz.	44 lbs. 10 oz.	42 lbs. 10 oz.	38 lbs. 8 oz.

REPAIR PARTS

Protective Crystals, per dozen . **$1.32**
(Packed one dozen in carton)

Level Vials, per dozen **$2.40**
(Packed one dozen in carton)

EXACT LEVELS

CARPENTERS' and MASONS' SHORT LEVELS, No. 5

18″—24″—28″—30″

GENUINE MAHOGANY



These sturdy levels of genuine quartered mahogany are available in four handy sizes, with or without metal end plates. All are beautiful, even grained, of selected stock, specially dried to remove excess moisture and prevent warping. Our particular treatment of the level body closes all grains and permits long level life under exposure conditions. Strong glass windows protect the sensitive tested vials from dirt and damage. Clear, definite vial marks assure accurate rapid readings.

45° CARPENTERS' SHORT LEVELS, No. 145

14″—16″—18″—20″—24″

GENUINE MAHOGANY



Same as No. 5—with one 45°, one plumb and two level vials.

SHIPPING DATA for No. 5 and No. 145

Levels individually wrapped—24 pieces to standard shipping carton.

	No. 14″	No. 16″	No. 18″	No. 20″
	14″x1⅛″x2¼″	16″x1⅛″x2¼″	18″x1⅛″x2¼″	20″x1⅛″x2¼″
Wt. ea.	12 oz.	14 oz.	1 lb.	1 lb. 2 oz.
Total wt.	20 lbs. 3 oz.	22 lbs. 8 oz.	25 lbs. 10 oz.	28 lbs. 6 oz.

	No. 24″	No. 28″	No. 30″
	24″ x 1⅛″ x 2¼″	28″ x 1½″ x 2¼″	30″ x 1½″ x 2¼″
Wt. ea.	1 lb. 4 oz.	1 lb. 10 oz.	1 lb. 12 oz.
Total wt.	34 lbs. 12 oz.	40 lbs. 8 oz.	43 lbs. 8 oz.

REPAIR PARTS

Protective Crystals, per dozen . **$1.32**
(Packed one dozen in carton)

Level Vials, per dozen **$2.40**
(Packed one dozen in carton)

EXACT LEVEL & TOOL MFG. CO., INC.

HIGH BRIDGE, NEW JERSEY

CARPENTERS' and MASONS' SHORT LAMINATED LEVELS, No. 25

18"—24"—28"—30"

GENUINE MAHOGANY AND SUGAR PINE

These laminated levels are made of genuine mahogany, matched "grain against grain" with the highest grade of sugar pine. All lumber is kiln dried and seasoned. With our careful selection of grain, warpage is reduced to a minimum. These levels are available in four sizes with or without end plates.

No. 245 same as No. 25 with one 45°, one plumb and two level vials—18", 24", 28", 30".

SUGAR PINE CARPENTERS' LEVELS, No. S5

18"—24"—28"—30"

GENUINE STRAIGHT GRAIN SUGAR PINE

These high grade levels are made of the highest grade sugar pine. Lumber is carefully selected, kiln dried and seasoned. Levels are lightweight, yet durable enough to withstand severe usage. All four sizes have two double plumbs, one double level. Available with or without end plates.

SHIPPING DATA for No. 25, No. 245 and No. S5

	18"x2½"x1¼"	24"x2½"x1¼"	28"x2½"x1¼"	30"x2½"x1¼"
	Levels individually wrapped			
Wt. ea.	1 lb.	1 lb. 3 oz.	1 lb. 6 oz.	1 lb. 8 oz.
	Packed 2 dozen to a standard shipping carton			
Total wt.	25 lbs. 8 oz.	30 lbs.	34 lbs. 10 oz.	36 lbs. 12 oz.

REPAIR PARTS

Protective Crystals, per dozen . **$1.32**
(Packed one dozen in carton)

Level Vials, per dozen **$2.40**
(Packed one dozen in carton)

EXACT LEVELS

HEAVY DUTY ADJUSTABLE PLUMB and LEVEL, No. 224—24″

No. 224, 24″—No. 228, 28″—No. 230, 30″

GENUINE MAHOGANY

Fully Adjustable and Replaceable · Brass End Plates

Three Convenient Sizes

No. 224

Genuine kiln-dried and seasoned mahogany. Heavy brass plate covering adjustable center level unit. Center unit independent and shockproof. Independent plumb unit of heavy brass. Level and plumb adjustable with a screwdriver. Heavy brass end plates. Available with or without end plates.



CENTER LEVEL UNIT
Complete—$.66



PLUMB UNIT
Complete—$.66

SHIPPING DATA for No. 224, No. 228 and No. 230

	No. 224—24″	No. 228—28″	No. 230—30″
	24″ x 2 5/16″ x 1 1/8″	28″ x 2 5/16″ x 1 1/8″	30″ x 2 5/16″ x 1 1/8″
	Levels individually wrapped		
Weight ea.	1 lb. 4 oz.	1 lb. 10 oz.	1 lb. 13 oz.
	Packed 2 dozen to a standard shipping container		
Total wt.	31 lbs. 5 oz.	40 lbs. 7 oz.	45 lbs.

IMPORTANT INFORMATION

SHIPPING INSTRUCTIONS

All orders should be sent direct to the company. In ordering, please be sure to give full and explicit directions for shipment, and they will be carefully filled. If no shipping instructions are given we will use our own best judgment in forwarding shipments. All goods are sent at the risk of the purchaser after we have delivered the article in good order to the forwarders. We are not responsible for articles lost in transit.

WARRANTY

Every level of our manufacture is guaranteed to be free from imperfections of material or defects in workmanship and, when so defective will be repaired or replaced without charge. But under no circumstances will we assume the breakage where flaws do not appear, nor will we replace tools which have defects from abusive treatment. Articles claimed defective must be returned direct, postage prepaid for inspection.

REPAIRS

We repair any level of our manufacture. Our service is prompt and complete. Rates for this service are based upon the extent of repair.

Printed Letterpress in the U. S. A., Oxford-Print, Boston

EXACT